

**Have you ever seen a doctor, nurse, or other health professional for these
joint symptoms?
Kentucky BRFSS 2001**

Demographic Groups	Total Respond.#	Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
TOTAL	3935	2714	65.8	(63.6-67.9)	1221	34.2	(32.1-36.4)
GENDER							
Male	1426	943	63.5	(59.9-67.0)	483	36.5	(33.0-40.1)
Female	2509	1771	67.6	(64.8-70.2)	738	32.4	(29.8-35.2)
RACE							
White/NH	3620	2504	65.8	(63.5-68.0)	1116	34.2	(32.0-36.5)
African American/NH	165	104	58.8	(47.9-69.0)	61	41.2	(31.0-52.1)
AGE							
18-24	133	75	57.1	(45.4-68.0)	58	42.9	(32.0-54.6)
25-34	446	266	57.6	(51.4-63.6)	180	42.4	(36.4-48.6)
35-44	740	449	54.0	(48.7-59.2)	291	46.0	(40.8-51.3)
45-54	874	570	63.9	(59.3-68.3)	304	36.1	(31.7-40.7)
55-64	737	568	74.5	(69.5-78.9)	169	25.5	(21.1-30.5)
65+	991	777	78.6	(74.9-81.9)	214	21.4	(18.1-25.1)
EDUCATION							
Less Than H.S.	1094	840	73.7	(69.6-77.3)	254	26.3	(22.7-30.4)
H.S. or G.E.D.	1451	968	63.4	(59.7-66.9)	483	36.6	(33.1-40.3)
Some Post-H.S.	859	579	65.2	(60.3-69.9)	280	34.8	(30.1-39.7)
College Graduate	520	319	60.4	(54.4-66.0)	201	39.6	(34.0-45.6)
HOUSEHOLD INCOME							

Less than \$15,000	745	578 74.9 (69.5-79.7)	167 25.1 (20.3-30.5)
\$15,000- 24,999	690	476 65.3 (60.2-70.2)	214 34.7 (29.8-39.8)
\$25,000- 34,999	405	265 63.1 (55.9-69.7)	140 36.9 (30.3-44.1)
\$35,000- 49,999	416	274 65.6 (58.8-71.9)	142 34.4 (28.1-41.2)
\$50,000+	528	307 59.3 (53.4-65.0)	221 40.7 (35.0-46.6)

*This question is asked to respondents who reported having pain, aching, stiffness or swelling in or around a joint.

#Use caution in interpreting data for total respondents less than 50. N = Cell Size, NH = Non-Hispanic, %

= Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level).

Percentages are weighted to population characteristics.

Unless stated differently above, Missing, 'Don't know', and Refused responses are excluded.